

AQUATELLA
ENVIRONMENTAL SOLUTIONS, INC.

January 26, 2007

Ms. Katrina M. Donegan
Air Pollution Control Program
St. Louis County Health
111 South Meramec Avenue
Clayton, Missouri 63105

REC'D.
JAN 30 2007
APCO

**Re: Semi-Annual Startup, Shutdown and Malfunction (SSM) Report
2006 Semi-Annual Report
Bridgeton Landfill, LLC 189-0312
Air Operating Permit Number OP2001009
Reporting Period: July 1, 2006 through December 31, 2006**

Dear Ms. Donegan:

The Bridgeton Landfill, LLC is subject to the National Emissions Standards for Hazardous Air Pollutants for Municipal Solid Waste Landfills, being 40 CFR Part 63 Subparts A and AAAA (NESHAP). The NESHAP requires a facility to prepare and implement a start-up, shutdown and malfunction (SSM) Plan. The SSM Plan includes the procedures for operating and maintaining affected landfill gas (LFG) collection and control equipment as well as continuous control device monitoring equipment during start-up, shutdown and malfunction events. The Bridgeton Landfill, LLC is an existing source and implemented the SSM Plan on January 16, 2003.

In accordance with 40 CFR §63.10(d)(5), a semi-annual report must be submitted to the regulatory authority within 30 days of the completion of the calendar half. The report shall contain information pertaining to the facility's compliance with the procedures in their SSM Plan during SSM events. This letter serves as the Semi-Annual SSM Report for the reporting period July 1, 2006 through December 31, 2006.

During the period of July 1, 2006 through December 31, 2006 the Bridgeton Landfill documented eighteen (18) SSM events in accordance with the Startup, Shutdown and Malfunction Plan developed for the facility and to comply with 40 CFR 63 Subpart AAAA. During this compliance period no deviations from the SSM Plan were recorded, therefore no revisions to the SSM Plan have been required.

For the reporting period, eighteen (18) start-up and three (3) shutdown events occurred. The actions taken at the facility for all SSM events during the reporting period July 1, 2006 through December 31, 2006 were consistent with the procedures listed in the SSM Plan at the facility. Records of SSM events are maintained at the facility and available for review.

Bridgeton Landfill, LLC
Semi-Annual Startup, Shutdown and Malfunction (SSM) Report
2006 Semi-Annual Report: July 1, 2006 through December 31, 2006
January 26, 2007

During the reporting period, fifteen (15) malfunction events occurred, of which none caused an applicable limitation to be exceeded. Table 1 contains the date, duration and description of all malfunction events for the reporting period.

Attached is certification by the Responsible Official. If you have any questions regarding this Semi-Annual SSM Report, please contact me at (573) 442-6391.

Sincerely,
Aquaterra Environmental Solutions, Inc.



Michele A. Boussad
Senior Project Manager

Attachment: Table 1 - Description of Malfunction Events

c: Mr. Bob Randolph, MDNR-APCP
Mr. Patricia Scott, EPA Region VII
Allen Steinkamp, Allied Waste Services
Niki Wuestenberg, Allied Waste Services
Rick Walker, Bridgeton Landfill, LLC

Malfunction Events
Bridgeton Landfill, L.L.C.
Reporting Period 7/1/06-12/31/06

Date(s) of Event	Duration of Event (hours)	Equipment Affected*	Description of Malfunction (include actions taken to correct a malfunction)	Were SSM Plan Procedures Followed	Emission Limit Exceeded or Potentially Exceeded**
7/14/06	65:25:00	Continuous Monitoring System	Circle chart recorder malfunctioned	Yes	No
7/18/06	4:30:00	Continuous Monitoring System	Circle chart recorder malfunctioned	Yes	No
7/19/06	11:00:00	Control Device	Power failure	Yes	No
7/22/06	4:00:00	Control Device	Blower Failure	Yes	No
7/25/06	6:45:00	Control Device	Blower Failure	Yes	No
8/3/06	1:30:00	Continuous Monitoring System	Circle chart recorder malfunctioned	Yes	No
9/22/06	78:30:00	Continuous Monitoring System	Circle chart recorder malfunctioned	Yes	No
9/27/06 13:30	0:15:00	Control Device	Well damaged by contractor causing excess air monitored at flare causing automatic shutdown	Yes	No
10/19/06	5:30:00	Continuous Monitoring System	Circle chart recorder malfunctioned	Yes	No
10/26/06	91:17:00	Continuous Monitoring System	Circle chart recorder malfunctioned	Yes	No
11/11/06	19:30:00	Control Device	Out of Compliance Temperature fell below average combustible temperature limit	Yes	No
11/18/06 21:30	34:15:00	Control Device	Out of Compliance Temperature fell below average combustible temperature limit	Yes	No
11/20/06	2:30:00	Continuous Monitoring System	Circle chart recorder malfunctioned	Yes	No
11/20/06 10:15	20:15:00	Control Device	Out of Compliance Temperature fell below average combustible temperature limit	Yes	No
12/04/06	3:15:00	Continuous Monitoring System	Circle chart recorder malfunctioned	Yes	No

* Control Device, Continuous Monitoring System, or Collection System

**If the Malfunction Event caused or may have caused an emission limitation to be exceeded (i.e., raw LFG released to air) then enter YES.

NSPS SEMI-ANNUAL REPORT (07/1/06-12/31/06)
BRIDGETON LANDFILL, LLC
BRIDGETON, MISSOURI

Installation ID Number 189-0312
Aquaterra Project Number 2137.10
January 2007

AQUATERRA
ENVIRONMENTAL SOLUTIONS, INC.

Prepared For:
Bridgeton Landfill, LLC
13570 St. Charles Rock Road
Bridgeton, Missouri

AQUATERRA
ENVIRONMENTAL SOLUTIONS, INC.

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	NSPS COMPLIANCE REPORTING.....	2
2.1	Exceedance of Monitoring of the Collection System.....	2
2.1.1	Gauge Pressure.....	2
2.1.2	Temperature	2
2.1.3	Oxygen or Nitrogen Concentration	3
2.1.4	Operations of Gas Collection System.....	3
2.1.5	Surface Emissions Monitoring	4
2.1.6	Landfill Gas System Installation	4
2.2	Exceedance of Monitoring of the Control Device.....	4
2.2.1	Record of Operation.....	4
2.2.2	Continual Operation of Control Device	5
2.2.3	Average Combustion Temperature	5

APPENDICES

Appendix A	Monthly Landfill Gas Reports
Appendix B	Control Device Downtime Table
Appendix C	Gas Extraction Well Construction Diagrams

NSPS Semi-Annual Report (7/1/06-12/31/06)
Bridgeton Landfill, LLC
Bridgeton, Missouri

1.0 INTRODUCTION

In accordance with 10 CSR 10-5.490(7)(H) each landfill that has a calculated non-methane organic compound (NMOC) emission rate equal to or greater than 25 Megagrams per year and 1.0 million Megagrams must submit a Semi-annual Report summarizing the gas system operations to verify compliance with 10 CSR 10-5.490 Municipal Solid Waste Landfill. In addition to the local requirements, the municipal solid waste landfill's NMOC emissions exceed 50 Megagrams per year, therefore the installation is subject to the requirements set forth in 40 CFR 60 Subpart WWW, New Source Performance Standards for Municipal Solid Waste Landfills (NSPS). This report serves as the semi-annual NSPS Report for the reporting period January 2006 through June 2006.

Documented in this report are exceedances of monitored parameters under 10 CSR 10-5.490 and 40 CFR 60 Subpart WWW. Information regarding operation of the landfill gas (LFG) extraction system was obtained from Bridgeton Landfill. The information regarding landfill surface monitoring was obtained from Herst and Associates. The wellfield monitoring data and the control device monitoring data was obtained from American Environmental Group (AEG) and Bridgeton Landfill.

Landfill gas at the Bridgeton Landfill is currently being collected from 82 gas extraction wells and associated header piping to a flare for control. During the reporting period two identical 3,500 standard cubic feet per minute (SCFM) were utilized to control the landfill gas collected.

2.0 NSPS COMPLIANCE REPORTING

The following discusses each of the monitored parameters to be addressed in the semi-annual report to comply with 10 CSR 10-5.490 Restriction of Emissions from Municipal Solid Waste Landfills.

2.1 Exceedance of Monitoring of the Collection System

Regulation 10 CSR 10-5.490(7)(H)1 defines the value and length of time for exceedance of applicable parameters monitored under subsections (6)(A), (B), (C), and (D).

2.1.1 Gauge Pressure

Regulation 10 CSR 10-5.490(5)(A)3 requires the operation of the collection system with negative pressure at each wellhead. Any instant where positive pressure is monitored; the location and duration of the exceedance shall be documented.

Based on the wellfield data enclosed in Appendix A, positive pressure was monitored at the wellhead GEW-23 on September 26, 2006 and GEW-01 on October 31, 2006. GEW-23 was replaced in October 5, 2006 due to high sludge levels monitored in June 2006. On October 31, 2006 Corrective action was initiated to correct the exceedance at GEW-01 was re-monitored on November 9, 2006, and recorded a negative pressure.

No other instances of positive pressure were monitored during the reporting period.

2.1.2 Temperature

Regulation 10 CSR 10-5.490(3)(B)3.B.(III)(b) requires the operation of each interior wellhead in the collection system with a landfill gas temperature less than 131°F. Any instant where a temperature in excess of 131°F is monitored; the location and duration of the exceedance shall be documented.

Per the approved *Gas Collection and Control System Report*, dated May 2003, prepared by Midwest Environmental Consultants, an alternative temperature of no greater than 140°F was approved to be monitored at each gas extraction wellhead.

Based on the wellfield data enclosed in Appendix A, a temperature of 142°F was recorded at GEW-19 on September 26, 2006. The vacuum was immediately adjusted on GEW-19 and the well was re-monitored on October 11, 2006, and recorded a temperature below 140°F. An exceedance report was submitted on October 9, 2006.

Semi-Annual Report
7/1/06-12/31/06
Bridgeton Landfill, LLC
January 2007

No other instances of landfill gas temperature above 140°F were monitored during the reporting period.

2.1.3 Oxygen or Nitrogen Concentration

Regulation 10 CSR 10-5.490(3)(B)3.B.(III)(b) requires the operation of each interior wellhead in the collection system with either a nitrogen level less than 20 percent or an oxygen level less than five percent. Any instant where the nitrogen level less exceeds 20 percent or the oxygen level exceeds five percent is monitored; the location and duration of the exceedance shall be documented.

Based on the wellfield data enclosed in Appendix A, elevated oxygen levels were recorded during the reporting period. GEW-23 and GEW-27 continued to monitor elevated oxygen at the wellhead during the July through September monitoring events. An exceedance report was submitted on June 23, 2006. An investigation conducted in June of 2006 had revealed that sludge was encountered 45 feet below ground surface at GEW-23 and GEW-27 was blocked at 25 feet below grade surface. GEW-23 and GEW-27 were replaced with GEW-23A and GEW-27A in October 2006. The replacement wells, GEW-23A and GEW-27A monitored compliance with all parameters beginning in October 2006. GEW-23 and GEW-27 were disconnected from the gas collection system and abandoned.

In addition, an elevated oxygen level was recorded at the wellhead of GEW-65 on September 26, 2006 and October 31, 2006. This well was replaced with GEW-65A in October of 2006 and disconnected from the gas collection system and abandoned. GEW-65A was monitored compliance with all parameters during the November 2006 monitoring event. An exceedance report was submitted on October 11, 2006.

Wells GEW-6, GEW-56, GEW-59 and GEW-66 showed elevated oxygen level during the October 31, 2006, monitoring event. Corrective action was taken to correct the exceedances immediately, these wells were re-monitored on November 9, 2006 and monitored compliance with all parameters.

2.1.4 Operations of Gas Collection System

Regulation 10 CSR 10-5.490(7)(H)4 states all periods when the collection system was not operation in excess of five (5) days.

Based on the wellfield data enclosed in Appendix A, during the December monitoring event wells GEW-7, GEW-16, GEW-17, GEW-26, GEW-53, GEW-54, GEW-55, GEW-58, GEW-

Semi-Annual Report
7/1/06-12/31/06
Bridgeton Landfill, LLC
January 2007

59, GEW-65, GEW-69 and GEW_78 were not monitored. These wells were monitored during the January event and no exceedances were monitored for these wells.

There were no periods when the collection system was not operational for more than five days during the reporting period.

2.1.5 Surface Emissions Monitoring

Regulation 10 CSR 10-5.490(7)(H)5 states the location of each exceedance of the 500 parts per million (ppm) methane concentration as provided in (4)(D) and the concentration recorded at each location for which an exceedance was recorded in the previous month.

In 2006 Bridgeton Landfill reverted to quarterly surface emissions monitoring due to the landfill closing February 28, 2005. Herst and Associates, Inc. completed quarterly surface monitoring on August 16, 2006 and November 27, 2006. No exceedances were observed above the 500 ppm regulatory threshold during either of these monitoring events.

2.1.6 Landfill Gas System Installation

Regulation 10 CSR 10-5.490(7)(H)6 states the date of installation and the location of each well or collection system expansion added.

During the reporting period, Bridgeton Landfill completed installation of three replacement gas extraction well. GEW-23A, GEW-27A and GEW-65A were installed on October 5, 2006. Appendix C includes the LFG extraction well construction diagrams.

2.2 Exceedance of Monitoring of the Control Device

2.2.1 Record of Operation

Regulation 10 CSR 10-5.490(7)(H)2 states the description and duration of all periods when the gas stream is diverted from the control device through a bypass line or the indication of bypass flow.

There were no periods between July 1, 2006 and December 31, 2006, when the LFG stream was bypassed from a control device. The gas collection system at the Bridgeton Landfill does not have a bypass line and the blower/flare system is designed to shutdown the entire system when the flare is inoperable.

Semi-Annual Report
7/1/06-12/31/06
Bridgeton Landfill, LLC
January 2007

2.2.2 Continual Operation of Control Device

Regulation 10 CSR 10-5.490(7)(H)3 states the description and duration of all periods when the control device was not operating for a period exceeding one (1) hour and length of time the control device was not operating.

At present, total landfill gas collection ranges from 1,600 SCFM to 2,400 SCFM. Each enclosed flare has the design capacity to handle upwards of 3,500 SCFM of landfill gas. At these lower collection volumes, one flare is being used to manage landfill gas collected and the second enclosed flare is used as backup. If LFG collection approaches the maximum design rate of one enclosed flare, the other enclosed flare will become operational to control the LFG collected.

Based on the circular charts provided by Bridgeton Landfill the blower/flare system recorded five (5) events where the control device was inoperable for periods in excess of one hour. Appendix B contains the date, duration and description for the periods the control device was inoperable in excess of one hour. In addition, there were eight (8) malfunction events during which the continuous monitoring system was inoperable. Due to the absence of this data, no assumptions are made to define periods of control device downtime during these periods. These events are displayed in Table 1 below.

Table1: Continuous Monitoring System Downtime

Date(s) of Event	Duration of Event (hours)
7/14/06	65:25
7/18/06	4:30
8/3/06	1:30
9/22/06	79:30
10/19/06	5:30
10/26/06	19:17
11/20/06	2:30
12/4/06	3:15

2.2.3 Average Combustion Temperature

Regulation 40 CFR 60.758(c)(1)(i) states for enclosed combustors all 3-hour periods of operation during which the average combustion temperature was more than 82°F below the average combustion temperature during the most recent performance test.

**Semi-Annual Report
7/1/06-12/31/06
Bridgeton Landfill, LLC
January 2007**

The most recent performance test was conducted on February 16 and 17, 2005. For the two 3,500 SCFM identical enclosed flares the following compliance temperatures were recorded.

Table 2: Compliance Temperatures for East and West Flares

Flare	Thermocouple	Compliance Temperature (°F)
East Flare (#1)	TE 202B	1398
West Flare (#2)	TE 202B	1488

Based on the circular charts provided by Bridgeton Sanitary Landfill on the blower/flare system. The following events were documented where the 3-hour average combustion temperature was below the compliance temperatures in Table 2:

Initial Date	Date Returned to Compliance	Duration (hrs:min:sec)
11/11/06 15:15	11/12/06 10:45	19:30
11/18/06 21:30	11/20/06 7:45	10:15
11/20/06 10:15	11/21/06 6:30	20:15

WELLFIELD DATA

APPENDIX A

Bridgeton Landfill Wellfield Data
July, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW01	7/28/2006 14:02	32.4	29	4.3	-0.4	128
BRIGEW02	7/28/2006 9:20	48	37.7	0	-4.5	124
BRIGEW03	7/28/2006 9:18	31.1	32.8	0	-1.8	110
BRIGEW04	7/28/2006 9:15	45.6	36.4	0	-1.2	122
BRIGEW05	7/28/2006 9:11	25.4	30.3	0	-1.1	100
BRIGEW06	7/28/2006 16:09	42	35.1	2.6	-0.7	106
BRIGEW07	7/28/2006 8:45	43.8	36	0.1	-7.6	114
BRIGEW08	7/28/2006 8:43	36	29.3	3.1	-5.3	120
BRIGEW09	7/28/2006 16:05	13.8	16.8	4.8	-16.3	118
BRIGEW10	7/28/2006 8:32	56.2	36.9	0.1	-9.7	122
BRIGEW11	7/28/2006 8:29	40.2	33.1	0.2	-10.1	138
BRIGEW12	7/28/2006 12:29	39.1	34.2	0.2	-3.3	126
BRIGEW13	7/28/2006 12:27	59.6	39.6	0.6	-5	130
BRIGEW14	7/28/2006 12:25	47.4	37.5	0.3	-4.1	116
BRIGEW15	7/28/2006 12:23	25.6	26.1	2.7	-1.7	104
BRIGEW16	7/28/2006 12:18	50.1	36.1	0.6	-2	120
BRIGEW17	7/28/2006 12:15	50.3	34.7	1.2	-3	116
BRIGEW18	7/28/2006 12:12	46	31.5	4.9	-10.7	124
BRIGEW19	7/28/2006 12:05	48.3	27.9	2	-1.2	138
BRIGEW20	7/28/2006 11:58	50.4	37.2	0.6	-3.6	120
BRIGEW21	7/28/2006 11:56	48.5	37.7	0.2	-2.8	118
BRIGEW22	7/28/2006 11:53	47.6	37.6	0.4	-3	106
BRIGEW23	7/28/2006 11:51	8.1	4.9	15.2	-14.4	106
BRIGEW24	7/28/2006 11:48	34	32.5	0.3	-2.6	120
BRIGEW25	7/28/2006 11:45	31.4	31.6	0.8	-3.1	102
BRIGEW26	7/28/2006 11:43	46.3	35	1.2	-18.2	130
BRIGEW27	7/28/2006 11:40	29.9	20.5	8.3	-13.3	120
BRIGEW28	7/28/2006 11:36	59.9	39.6	0.4	-11.4	124
BRIGEW29	7/28/2006 11:33	56.3	42.1	0.2	-3	102
BRIGEW30	7/28/2006 11:30	57.1	38.6	0.5	-8.6	120
BRIGEW31	7/28/2006 11:27	56.3	42.2	1.4	-12.8	130
BRIGEW32	7/28/2006 11:23	59.3	39	1.6	-13.8	120
BRIGEW33	7/28/2006 11:17	59.8	39.5	0.6	-12	118
BRIGEW34	7/28/2006 11:15	51.5	37.5	0.2	-8.7	122
BRIGEW35	7/28/2006 11:13	56.7	40.1	0.2	-8	114
BRIGEW36	7/28/2006 11:10	48.9	39.6	0.2	-3.8	98
BRIGEW37	7/28/2006 11:08	35.1	33.9	0.5	-3.2	104
BRIGEW38	7/28/2006 11:05	50.5	36.9	1.4	-4.5	84
BRIGEW39	7/28/2006 8:22	46.7	37.9	0.2	-3	116
BRIGEW40	7/28/2006 9:55	32.8	29.5	3.4	-7	106
BRIGEW41	7/28/2006 9:51	43.6	36.6	0	-2.1	110
BRIGEW42	7/28/2006 9:49	27.4	29.1	0	-2	110
BRIGEW43	7/28/2006 9:36	41.2	34.7	0.1	-2.2	126
BRIGEW44	7/28/2006 9:34	17	23.7	0.1	-1.2	120
BRIGEW45	7/28/2006 9:26	37.8	33.2	0	-2.3	108
BRIGEW46	7/28/2006 9:23	46.6	37.8	0.1	-6.9	116
BRIGEW47	7/28/2006 9:13	57.3	41	0	-8.4	110
BRIGEW48	7/28/2006 9:08	46.3	38.6	0.1	-1.1	118
BRIGEW49	7/28/2006 9:29	25.6	30.3	0	-1.9	92
BRIGEW50	7/28/2006 8:55	46.3	37	0	-0.5	110

Bridgeton Landfill Wellfield Data
July, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperatu re (Deg F)
BRIGEW51	7/28/2006 9:31	43.5	37.5	0	-2.6	108
BRIGEW52	7/28/2006 8:53	20.5	27.2	0	-1	104
BRIGEW53	7/28/2006 9:42	40	35.2	0.4	-2.1	110
BRIGEW54	7/28/2006 9:47	35	35.7	0	-2	108
BRIGEW55	7/28/2006 9:45	35.3	34.9	0.1	-2.4	106
BRIGEW56	7/28/2006 8:25	31.7	32.6	0	-4.9	130
BRIGEW57	7/28/2006 14:57	50.2	41	0.2	-5.8	100
BRIGEW58	7/28/2006 15:03	47.2	39.7	0.3	-4.7	122
BRIGEW59	7/28/2006 15:05	43.1	36.2	0.5	-5.8	112
BRIGEW60	7/28/2006 14:56	51.2	39.8	0.6	-6.1	106
BRIGEW61	7/28/2006 15:00	39	38.3	0.6	-3.9	90
BRIGEW62	7/28/2006 15:07	28.5	29.1	0.9	-4.1	100
BRIGEW63	7/28/2006 12:31	35.8	31.5	0.3	-9	132
BRIGEW64	7/28/2006 14:53	50.1	39.2	0.9	-9.1	106
BRIGEW65	7/28/2006 14:51	34.1	34.2	2.1	-5.1	106
BRIGEW66	7/28/2006 15:10	31.8	31.3	1	-6.3	100
BRIGEW67	7/28/2006 14:10	45.8	35	1.3	-6.4	124
BRIGEW68	7/28/2006 14:45	53.4	38.8	0.3	-12.2	110
BRIGEW69	7/28/2006 14:48	56.5	39.2	0.2	-13.8	108
BRIGEW70	7/28/2006 15:12	45	36.3	1	-12.2	110
BRIGEW71	7/28/2006 14:15	30.5	30.5	1.6	-6.4	112
BRIGEW72	7/28/2006 14:20	30.8	29.3	1.1	-3.4	102
BRIGEW73	7/28/2006 14:43	52.3	36.9	0.3	-12	118
BRIGEW74	7/28/2006 14:41	56.8	42.9	0.2	-13.5	116
BRIGEW75	7/28/2006 14:17	35.4	33.7	0.8	-8.1	112
BRIGEW76	7/28/2006 14:22	22.3	24.8	0.3	-2	110
BRIGEW77	7/28/2006 14:32	36.9	31.1	2.3	-10.6	120
BRIGEW78	7/28/2006 14:34	53.1	38.5	0.3	-12.5	118
BRIGEW79	7/28/2006 14:36	49.1	36.9	0.2	-12.7	114
BRIGEW80	7/28/2006 14:29	45.2	38.3	0.2	-6.1	104
BRIGEW81	7/28/2006 14:27	42.7	35.6	0.3	-4	116
BRIGEW82	7/28/2006 14:25	37.5	35	0.5	-3.9	106

Bridgeton Landfill Wellfield Data
August, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW01	8/9/2006 17:35	39.3	31.1	2.6	-0.5	130
BRIGEW02	8/9/2006 14:11	46.2	39.2	0.1	-4.3	124
BRIGEW03	8/9/2006 14:08	31.1	32.3	0.2	-1.6	112
BRIGEW04	8/9/2006 14:06	43	36.6	0.2	-1.1	122
BRIGEW05	8/9/2006 14:01	26.3	30.9	0.2	-0.9	106
BRIGEW06	8/9/2006 13:56	56.7	42.9	0.2	-0.1	110
BRIGEW07	8/9/2006 12:20	41.9	36.1	0.1	-7.8	120
BRIGEW08	8/9/2006 12:17	37.3	28.3	3.2	-5.5	120
BRIGEW09	8/9/2006 12:13	18.1	19.8	4.4	-10.4	120
BRIGEW10	8/9/2006 12:10	53	36.5	0.2	-10.3	122
BRIGEW11	8/9/2006 12:08	41.1	32.9	0.5	-9.8	139
BRIGEW12	8/9/2006 10:36	31	31.2	0	-2.9	126
BRIGEW13	8/9/2006 10:32	49.4	39.1	0.2	-5.7	128
BRIGEW14	8/9/2006 10:29	38.4	35.3	0	-4.1	116
BRIGEW15	8/9/2006 10:25	15.3	21.6	3.2	-1.8	108
BRIGEW16	8/9/2006 10:21	28.5	30.8	0.3	-2.4	120
BRIGEW17	8/9/2006 10:14	42.9	35.6	0	-4.5	114
BRIGEW18	8/9/2006 10:12	41.1	34.1	3	-13.2	120
BRIGEW19	8/9/2006 10:10	50.4	40.4	0	-1.5	138
BRIGEW20	8/9/2006 10:08	36.1	33.1	1.1	-4.5	120
BRIGEW21	8/9/2006 16:50	43.5	37	0.2	-2.2	128
BRIGEW22	8/9/2006 16:48	44.9	36.8	0.4	-2.4	112
BRIGEW23	8/9/2006 16:45	8.6	4.7	14.1	-14	136
BRIGEW24	8/9/2006 16:42	31.3	30.8	0.3	-3.7	120
BRIGEW25	8/9/2006 16:40	27.4	28.6	0.2	-2.7	116
BRIGEW26	8/9/2006 16:38	45	35.3	0.6	-13	124
BRIGEW27	8/9/2006 16:33	29	21	7	-12.9	118
BRIGEW28	8/9/2006 16:31	60.7	38.9	0.3	-11	124
BRIGEW29	8/9/2006 16:28	43.9	38.5	0.2	-2.3	108
BRIGEW30	8/9/2006 16:26	53.3	37.7	0.4	-10.1	112
BRIGEW31	8/9/2006 16:24	55.7	32.9	1.2	-15.7	130
BRIGEW32	8/9/2006 15:52	60	38.8	1.1	-13.7	120
BRIGEW33	8/9/2006 15:48	60.1	39.6	0.2	-12	118
BRIGEW34	8/9/2006 15:45	44.8	35.3	0.2	-8	124
BRIGEW35	8/9/2006 15:42	48.8	40.1	0.2	-8	112
BRIGEW36	8/9/2006 15:40	45.7	40.8	0.2	-2.7	100
BRIGEW37	8/9/2006 15:38	31.8	35	0.2	-2.2	104
BRIGEW38	8/9/2006 15:36	50.9	38.9	0.7	-3.7	84
BRIGEW39	8/9/2006 10:45	49.6	37.4	0	-3.1	114
BRIGEW40	8/9/2006 14:32	39.1	35	0.1	-6	110
BRIGEW41	8/9/2006 14:30	38.6	35.7	0.1	-1.9	116
BRIGEW42	8/9/2006 14:27	25	28.4	0.1	-1.9	116
BRIGEW43	8/9/2006 14:25	39.3	35.1	0.2	-4.4	128
BRIGEW44	8/9/2006 14:23	23.1	27	0.2	-1.2	126
BRIGEW45	8/9/2006 14:15	37.6	34.1	0.2	-4.5	116
BRIGEW46	8/9/2006 14:13	47.6	38.9	0.5	-6.8	118
BRIGEW47	8/9/2006 14:03	48.6	39.8	0.2	-14.7	120
BRIGEW48	8/9/2006 13:59	47.7	39.3	0.2	-1	120

Bridgeton Landfill Wellfield Data
August, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW49	8/9/2006 14:18	27.3	32.1	0.2	-1.7	96
BRIGEW50	8/9/2006 13:53	47.8	39.5	0.3	-0.7	112
BRIGEW51	8/9/2006 14:20	44.4	38.2	0.1	-2.3	110
BRIGEW52	8/9/2006 13:51	17.6	26.4	0.8	-0.6	110
BRIGEW53	8/9/2006 14:39	52.2	40	0.1	-2	120
BRIGEW54	8/9/2006 14:37	35.4	36.2	0.1	-1.7	110
BRIGEW55	8/9/2006 14:34	34	35.4	0.1	-2.2	110
BRIGEW56	8/9/2006 10:42	28.7	30.5	0	-4.4	56
BRIGEW57	8/10/2006 9:27	58.4	40.8	0	-5.3	102
BRIGEW58	8/10/2006 9:23	51.2	38.8	0	-4.1	134
BRIGEW59	8/10/2006 9:31	51.8	36.7	0	-5.3	110
BRIGEW60	8/10/2006 9:11	55.9	38.8	0	-5.6	104
BRIGEW61	8/10/2006 9:15	38.8	37	0	-4.2	84
BRIGEW62	8/10/2006 9:18	24.9	27.3	0	-3.6	94
BRIGEW63	8/9/2006 10:39	35.1	31.8	0.4	-8.5	128
BRIGEW64	8/10/2006 9:07	54.1	39.6	0	-8.6	106
BRIGEW65	8/10/2006 9:04	36.6	34.6	0	-4.5	84
BRIGEW66	8/10/2006 9:01	33.7	32.5	0	-5.8	96
BRIGEW67	8/9/2006 17:22	54.1	36.4	0.1	-5.3	124
BRIGEW68	8/10/2006 8:53	57	37.9	0	-13.2	110
BRIGEW69	8/10/2006 8:56	60.5	39.4	0	-14.3	108
BRIGEW70	8/10/2006 8:58	54.7	38.5	0	-12.5	110
BRIGEW71	8/9/2006 17:20	42.5	33.9	0.2	-7	112
BRIGEW72	8/9/2006 17:15	37.1	33.7	0.1	-2.8	110
BRIGEW73	8/10/2006 8:50	57	36.6	0	-12.1	118
BRIGEW74	8/10/2006 8:46	57.4	42.5	0	-13	110
BRIGEW75	8/10/2006 8:42	45.1	35.9	0	-9	114
BRIGEW76	8/9/2006 17:12	50.2	41.6	0.2	-1.5	114
BRIGEW77	8/9/2006 16:58	42.6	34.3	0.2	-10.5	120
BRIGEW78	8/9/2006 17:02	57.3	42.4	0.1	-11.7	116
BRIGEW79	8/9/2006 17:06	57.3	40.5	0.2	-11.8	116
BRIGEW80	8/9/2006 16:55	44.8	38	0.3	-5.1	108
BRIGEW81	8/9/2006 16:53	48.5	36.8	0.2	-3.2	118
BRIGEW82	8/9/2006 17:09	38.8	34.6	0.2	-4.5	112

Bridgeton Landfill Wellfield Data
September, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperat ure (Deg F)
BRIGEW01	9/27/2006 11:52	30.8	27.2	4.8	-0.4	128
BRIGEW02	9/27/2006 10:46	48.4	37.7	0.2	-4.5	110
BRIGEW03	9/27/2006 10:44	31.8	33.1	0	-1.3	106
BRIGEW04	9/27/2006 10:42	43.3	37.4	0	-0.5	120
BRIGEW05	9/27/2006 10:38	26.6	30.8	0	-0.4	100
BRIGEW06	9/27/2006 10:32	34.9	31.5	2.8	-0.1	104
BRIGEW07	9/27/2006 10:22	43.4	35.4	0	-8.3	116
BRIGEW08	9/27/2006 10:20	43.1	30.8	2.6	-3.4	122
BRIGEW09	9/27/2006 10:17	16.3	19	4.4	-5.3	120
BRIGEW10	9/27/2006 10:15	53.5	36.3	0	-11.3	122
BRIGEW11	9/27/2006 9:58	52.8	35.9	1.9	-8.4	140
BRIGEW12	9/26/2006 16:57	35.6	33.7	0	-2.4	130
BRIGEW13	9/26/2006 16:54	49.2	38	0.3	-7.6	134
BRIGEW14	9/26/2006 16:52	42.8	35.8	0	-2.7	110
BRIGEW15	9/26/2006 16:49	13.3	19.3	4	-1	100
BRIGEW16	9/26/2006 16:46	34	33.9	0.2	-1.3	118
BRIGEW17	9/26/2006 16:43	50.8	37.4	0	-2.6	116
BRIGEW18	9/26/2006 16:41	41.9	33.2	4.8	-2	120
BRIGEW19	9/26/2006 16:39	57.4	42.5	0	-0.7	142
BRIGEW20	9/26/2006 16:37	41	35.6	0.8	-3.9	120
BRIGEW21	9/26/2006 18:04	40.1	35.7	0	-2.1	112
BRIGEW22	9/26/2006 18:01	48.3	36.7	0.3	-2.1	104
BRIGEW23	9/26/2006 17:59	1	0	19	0	88
BRIGEW24	9/26/2006 17:56	35.1	32.3	0.1	-2	120
BRIGEW25	9/26/2006 17:54	35.1	32.1	0	-1.9	110
BRIGEW26	9/26/2006 17:52	48.7	35.6	0.3	-5.6	134
BRIGEW27	9/26/2006 17:49	18.7	12.9	10.7	-7.6	108
BRIGEW28	9/26/2006 17:47	51.1	35.7	0	-13.7	124
BRIGEW29	9/26/2006 17:45	38.6	36.1	0	-2.4	92
BRIGEW30	9/26/2006 17:43	43.3	34.5	0.4	-10.3	120
BRIGEW31	9/26/2006 17:41	54.6	30.1	1	-16.5	126
BRIGEW32	9/26/2006 17:38	59.8	32.9	1.7	-17.3	118
BRIGEW33	9/26/2006 17:33	60.2	39.7	0	-15.2	106
BRIGEW34	9/26/2006 17:30	37.7	33.8	0	-8.6	126
BRIGEW35	9/26/2006 17:28	46	37.9	0	-9.2	112
BRIGEW36	9/26/2006 17:26	43.7	40.4	0	-3.1	102
BRIGEW37	9/26/2006 17:24	29.1	32.5	0	-2.1	106
BRIGEW38	9/26/2006 17:22	51.7	38.1	0	-4	82
BRIGEW39	9/26/2006 15:16	45.5	36.8	0	-2.9	114
BRIGEW40	9/27/2006 11:14	42.2	35.9	0	-4.9	96
BRIGEW41	9/27/2006 11:11	40.2	34.7	0	-1.9	106
BRIGEW42	9/27/2006 11:09	27	29.4	0	-1.5	102
BRIGEW43	9/27/2006 11:02	40.1	35.1	0	-1.3	128
BRIGEW44	9/27/2006 11:00	25	28	0	-1.1	114
BRIGEW45	9/27/2006 10:50	27.8	29.8	0	-10.7	100
BRIGEW46	9/27/2006 10:48	45.3	37.7	0	-8.4	110
BRIGEW47	9/27/2006 10:40	50.9	38.9	0	-17.3	110

Bridgeton Landfill Wellfield Data
September, 2006

BRIGEW48	9/27/2006 10:35	45.2	38.1	0	-0.7	112
BRIGEW49	9/27/2006 10:53	25.1	29.8	0	-1.5	92
BRIGEW50	9/27/2006 10:28	46.9	37.6	0	-0.6	100
BRIGEW51	9/27/2006 10:56	47	37.1	0	-2.9	112
BRIGEW52	9/27/2006 10:25	19.3	26.4	0	-0.2	100
BRIGEW53	9/27/2006 11:04	44.4	37.3	0	-2	110
BRIGEW54	9/27/2006 11:06	35.1	35.1	0	-1.6	110
BRIGEW55	9/27/2006 11:16	34.7	34.8	0	-1.9	106
BRIGEW56	9/26/2006 17:02	30.6	29.7	0	-3.9	130
BRIGEW57	9/26/2006 18:53	46.1	38.6	0	-8.1	98
BRIGEW58	9/26/2006 18:56	45.7	37.6	0	-4.1	132
BRIGEW59	9/14/2006 16:52	45.5	36.4	0.3	-6	110
BRIGEW60	9/26/2006 18:51	39.2	36.1	0	-7.2	106
BRIGEW61	9/26/2006 18:58	34	34	0.2	-5.3	82
BRIGEW62	9/26/2006 19:01	21.6	24.8	0.2	-3.2	100
BRIGEW63	9/26/2006 17:00	44.7	34.1	0	-8.4	140
BRIGEW64	9/26/2006 18:49	47.7	38.6	0.2	-10.4	104
BRIGEW65	9/27/2006 12:04	21	21.6	6.8	-5.5	84
BRIGEW66	9/26/2006 18:43	31.3	30.8	0.1	-5.1	94
BRIGEW67	9/26/2006 19:07	45.3	34.6	0	-6.7	126
BRIGEW68	9/26/2006 18:36	45.4	35.9	0	-13.7	110
BRIGEW69	9/26/2006 18:39	55.4	39.6	0	-19.2	110
BRIGEW70	9/26/2006 18:41	49	37.9	0	-15.1	110
BRIGEW71	9/26/2006 19:04	32.9	31	0	-7.2	110
BRIGEW72	9/26/2006 18:24	34.6	31.7	0	-2.2	94
BRIGEW73	9/26/2006 18:33	61	38	0.9	-7	90
BRIGEW74	9/26/2006 18:29	58.1	41.8	0	-14.6	104
BRIGEW75	9/26/2006 18:26	44	36	0	-7.7	114
BRIGEW76	9/26/2006 18:21	54.5	39	0	-2	110
BRIGEW77	9/26/2006 18:14	46.8	36.1	0	-10.2	120
BRIGEW78	9/26/2006 18:16	52.4	39.1	0	-14.8	118
BRIGEW79	9/26/2006 18:19	55.6	38.2	0	-15.7	110
BRIGEW80	9/26/2006 18:12	42.5	36.5	0	-5.3	90
BRIGEW81	9/26/2006 18:09	45.2	35.8	0	-3.3	116
BRIGEW82	9/26/2006 18:06	27.8	28.8	0.1	-3.7	110

Bridgeton Landfill Wellfield Data
October, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW01	10/31/2006 9:37	51.6	40.4	0	0	90
BRIGEW02	10/31/2006 9:41	43	37	0.8	-6.8	115
BRIGEW03	10/31/2006 10:19	28.3	32.7	0.3	-2.2	112
BRIGEW04	10/31/2006 10:17	23.4	27.9	0.3	-1.1	120
BRIGEW05	10/31/2006 10:15	21.7	30.2	0.2	-1.1	100
BRIGEW06	10/31/2006 9:28	1.6	8.9	12	-0.5	60
BRIGEW07	10/31/2006 9:22	40.1	35.5	0.4	-10.7	120
BRIGEW08	10/31/2006 9:20	35.4	27.8	4.9	-6.2	120
BRIGEW09	10/30/2006 15:46	20.6	19.6	3.6	-11.1	120
BRIGEW10	10/30/2006 15:49	46.4	30.9	0.2	-13.8	120
BRIGEW11	10/30/2006 15:52	47.7	31	0.4	-8.8	139
BRIGEW12	10/30/2006 16:02	30.5	28.7	0.4	-2	130
BRIGEW13	10/30/2006 16:07	44.8	31.2	1.4	-8.1	120
BRIGEW14	10/30/2006 16:10	41.9	30.8	0.6	-3.1	113
BRIGEW15	10/30/2006 17:19	11.1	15.7	4.2	-1.5	80
BRIGEW16	10/30/2006 17:23	39.6	31.8	1.3	-2.7	110
BRIGEW17	10/30/2006 16:20	52.3	32.9	0.7	-2	118
BRIGEW18	10/30/2006 16:22	45.5	29.7	4.9	-1.6	120
BRIGEW19	10/30/2006 14:46	53.6	39.1	0.7	-0.2	110
BRIGEW20	10/30/2006 14:49	43	30.6	1.7	-3	121
BRIGEW21	10/30/2006 14:52	35.1	31.4	0.5	-1.7	128
BRIGEW22	10/30/2006 14:54	50.5	32.7	0.7	-2.1	100
BRIGEW23	10/30/2006 14:58	54.8	33.1	1.3	-1.1	78
BRIGEW24	10/30/2006 15:01	29	28.3	1.1	-1.7	105
BRIGEW25	10/30/2006 15:03	32	28.8	0.4	-1.9	107
BRIGEW26	10/30/2006 15:06	35.3	29.5	1.2	-4.7	120
BRIGEW27	10/30/2006 15:09	12	20.6	0.7	-1.8	75
BRIGEW28	10/30/2006 15:12	45.6	30.5	1.3	-16	125
BRIGEW29	10/30/2006 15:15	23.4	25.7	0.8	-3	88
BRIGEW30	10/30/2006 15:17	46.4	31.8	0.4	-11.8	120
BRIGEW31	10/30/2006 15:20	64.2	35.2	0.4	-19.4	126
BRIGEW32	10/30/2006 15:23	53.1	33.2	2	-19.4	119
BRIGEW33	10/30/2006 15:26	45.2	33.1	0.8	-19	115
BRIGEW34	10/30/2006 15:28	29.9	28	0.6	-9.4	120
BRIGEW35	10/30/2006 15:31	38.1	30.5	0.3	-10.2	111
BRIGEW36	10/30/2006 15:34	32.9	30.6	0.4	-2.7	100
BRIGEW37	10/30/2006 15:36	35.1	31.3	0.5	-0.8	100
BRIGEW38	10/30/2006 15:39	44.6	31.8	0.5	-3.5	117
BRIGEW39	10/30/2006 15:42	44	30.8	0.4	-3.4	110
BRIGEW40	10/31/2006 10:00	34.9	34.8	0.4	-8.5	98
BRIGEW41	10/31/2006 9:57	30.2	32.5	0.5	-3.7	110
BRIGEW42	10/31/2006 9:55	20.4	27.1	0	-3.1	105
BRIGEW43	10/31/2006 9:52	31.9	33.2	0.3	-3.2	127
BRIGEW44	10/31/2006 9:49	5.6	20.9	0	-2.4	120
BRIGEW45	10/31/2006 9:46	23.3	28.4	0.6	-14.7	110
BRIGEW46	10/31/2006 9:43	40.3	37.6	0.5	-12.2	120
BRIGEW47	10/31/2006 10:23	45.4	39.5	0.4	-26.1	112
BRIGEW48	10/31/2006 10:12	36.8	36.4	0.3	-1.7	109
BRIGEW49	10/31/2006 10:26	17.3	27.7	0.4	-2.9	99
BRIGEW50	10/31/2006 10:10	32.8	34	0.3	-2	107

Bridgeton Landfill Wellfield Data
October, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW51	10/31/2006 10:05	40.7	37	0.5	-4.4	105
BRIGEW52	10/31/2006 10:08	11.2	22.8	0.3	-1.7	111
BRIGEW53	10/31/2006 10:03	36.3	36.1	0.4	-4.1	110
BRIGEW54	10/31/2006 10:30	28.6	35.1	0.3	-3.2	100
BRIGEW55	10/31/2006 9:17	23.9	30.7	0.4	-3.8	100
BRIGEW56	10/30/2006 15:56	19.1	18.3	5.6	-4.2	138
BRIGEW57	10/30/2006 17:50	42.6	33	0.5	-10	98
BRIGEW58	10/30/2006 16:54	37.2	30.1	0.1	-4.3	130
BRIGEW59	10/30/2006 17:01	0.3		20.8	-0.1	60
BRIGEW60	10/30/2006 16:50	38.4	30.6	0.4	-8.4	105
BRIGEW61	10/30/2006 17:52	31.7	28.6	0.5	-7.3	95
BRIGEW62	10/30/2006 17:54	22.9	23.6	0.6	-3.7	90
BRIGEW63	10/30/2006 15:59	31.2	28.7	1.1	-6.7	137
BRIGEW64	10/30/2006 16:48	43.9	32.6	0.2	-12.9	110
BRIGEW65	10/31/2006 8:54	0	0	21.4	-9.2	40
BRIGEW66	10/30/2006 17:47	0.6	0	20.6	-2	60
BRIGEW67	10/30/2006 17:09	39.3	30.4	0.4	-7.8	125
BRIGEW68	10/30/2006 16:45	43.7	30.8	0.5	-10.3	110
BRIGEW69	10/30/2006 17:43	45.2	32.7	0.4	-21.2	110
BRIGEW70	10/30/2006 17:31	40.8	31.6	0.1	-18.4	110
BRIGEW71	10/30/2006 17:12	30.4	27.9	0.3	-8.5	108
BRIGEW72	10/30/2006 17:16	31.3	28.2	0.3	-2.7	80
BRIGEW72	10/30/2006 17:36	50.8	33.2	0.3	-19.8	118
BRIGEW73	10/30/2006 17:41	47.6	30.7	0.3	-10.9	110
BRIGEW74	10/30/2006 17:34	62.5	37	0.4	-20.1	105
BRIGEW75	10/30/2006 17:29	38	30.4	0.3	-9.9	112
BRIGEW76	10/31/2006 9:00	33.4	35.1	0.3	-4.7	78
BRIGEW77	10/30/2006 17:39	40	29.4	0.5	-13.6	120
BRIGEW78	10/31/2006 9:04	53.7	38.2	0.4	-24	118
BRIGEW79	10/30/2006 17:27	46.6	32.6	0.5	-21.2	105
BRIGEW80	10/30/2006 16:34	40.8	30.9	0.1	-8.3	95
BRIGEW81	10/30/2006 16:30	48.1	31.9	0.2	-4.1	118
BRIGEW82	10/30/2006 16:28	25.6	25.6	0.3	-5.4	110

Bridgeton Landfill Wellfield Data
November, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW01	11/9/2006 14:12	56.8	38.7	0.2	-0.1	110
BRIGEW02	11/9/2006 11:11	43.9	36.2	0	-5.3	128
BRIGEW03	11/9/2006 11:08	27.9	29.7	0.3	-2	100
BRIGEW04	11/9/2006 11:05	31.4	26.9	0	-1	120
BRIGEW05	11/9/2006 11:01	21.9	28.5	0	-1	100
BRIGEW06	11/9/2006 17:47	18.2	21.8	4.6	-5.2	94
BRIGEW07	11/9/2006 9:50	43.3	35.1	0	-8.2	120
BRIGEW08	11/9/2006 9:48	44	30.4	3.6	-4.4	120
BRIGEW09	11/9/2006 9:44	16.2	18.5	4.8	-4.6	120
BRIGEW10	11/9/2006 9:42	51.3	35.8	0	-13.6	120
BRIGEW11	11/9/2006 9:39	54.8	36.3	0.1	-5.8	142
BRIGEW12	11/9/2006 9:38	34.2	38.5	0	-2	121
BRIGEW13	11/9/2006 13:10	42.1	35.1	2.1	-1.4	126
BRIGEW14	11/9/2006 9:33	47.2	39.7	0	-2.4	115
BRIGEW15	11/9/2006 12:13	15.1	21.1	2.5	-5.5	115
BRIGEW16	11/9/2006 9:31	39.5	36.4	0.5	-1.7	85
BRIGEW17	11/9/2006 9:29	47.9	39.6	0	-4.1	117
BRIGEW18	11/9/2006 9:26	42.8	35.2	4.1	-10.8	105
BRIGEW19	11/9/2006 9:22	51.6	47.5	0	-1	115
BRIGEW20	11/9/2006 9:21	47.4	38.4	0.2	-4.1	119
BRIGEW21	11/9/2006 15:11	52.9	37.6	0.4	-1.9	110
BRIGEW22	11/9/2006 15:09	60.3	37.8	0.6	-3.3	104
BRIGEW23	11/9/2006 15:06	59.2	38.2	2.4	-2.5	108
BRIGEW24	11/9/2006 15:03	34	28.2	2.7	-2.8	118
BRIGEW25	11/9/2006 15:01	41.2	4.7	0.4	-3.1	108
BRIGEW26	11/9/2006 14:58	41.4	33.4	0.6	-4.5	124
BRIGEW27	11/9/2006 14:55	18.5	22.2	0.2	-3.8	112
BRIGEW28	11/9/2006 14:48	41.4	30	4.7	-20.2	124
BRIGEW29	11/9/2006 14:46	29.1	30.5	1.9	-4.8	100
BRIGEW30	11/9/2006 14:43	42	32.4	2.2	-15.4	122
BRIGEW31	11/9/2006 14:41	61	36.3	2.4	-24.8	128
BRIGEW32	11/9/2006 13:03	61	33.6	4.3	-12.8	118
BRIGEW33	11/9/2006 12:42	48.6	34.2	1.9	-24.3	98
BRIGEW34	11/9/2006 12:40	35	31.5	0.5	-10.4	126
BRIGEW35	11/9/2006 12:37	43	35	0.7	-12.6	112
BRIGEW36	11/9/2006 12:35	37.2	34.1	0.3	-4.6	100
BRIGEW37	11/9/2006 12:33	32.9	32.3	0.7	-2.4	82
BRIGEW38	11/9/2006 12:31	41.7	33.4	1.7	-5.1	118
BRIGEW39	11/9/2006 12:28	33.6	28.7	4.6	-4.1	112
BRIGEW40	11/9/2006 11:46	37.6	33.1	0.9	-6.7	98
BRIGEW41	11/9/2006 11:43	33.3	32.5	0	-2.8	106
BRIGEW42	11/9/2006 11:40	25.1	27.6	0	-2.3	100
BRIGEW43	11/9/2006 11:35	35.4	31.9	0	-2.2	130
BRIGEW44	11/9/2006 11:31	10.5	20.2	0.7	-1.4	112
BRIGEW45	11/9/2006 11:19	21.5	22.3	3.9	-12.3	94
BRIGEW46	11/9/2006 11:15	36.9	33.9	0.9	-9.6	112
BRIGEW47	11/9/2006 11:26	50	37.7	0.1	-22.2	120

Bridgeton Landfill Wellfield Data
November, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperat ure (Deg F)
BRIGEW48	11/9/2006 10:59	36.8	35.5	0	-1.5	110
BRIGEW49	11/9/2006 11:22	18.3	26	0	-2.2	100
BRIGEW50	11/9/2006 10:16	34.9	33.1	0	-1.7	110
BRIGEW51	11/9/2006 10:13	39.1	34.8	0	-3.2	110
BRIGEW52	11/9/2006 9:55	14	22.6	0	-1.1	102
BRIGEW53	11/9/2006 10:11	34.8	33.8	0	-3.1	116
BRIGEW54	11/9/2006 11:37	29.5	32.8	0	-2.6	102
BRIGEW55	11/9/2006 10:08	28.6	31.4	0	-2.3	104
BRIGEW56	11/9/2006 9:42	48.8	24.5	0.6	-6.9	80
BRIGEW57	11/9/2006 12:33	35.7	37.3	0.4	-11.6	96
BRIGEW58	11/9/2006 12:30	33.1	35.8	0.2	-5.5	126
BRIGEW59	11/9/2006 14:38	31.4	31.3	3.3	-10	108
BRIGEW60	11/9/2006 12:54	38	35	0.5	-9.8	110
BRIGEW61	11/9/2006 12:35	25.1	32.5	0.1	-8.8	102
BRIGEW62	11/9/2006 12:23	14.2	25.7	0	-3.9	100
BRIGEW63	11/9/2006 9:40	34.3	37.8	0	-5.9	138
BRIGEW64	11/30/2006 12:58	52.6	38.7	1.1	-13.8	96
BRIGEW65	11/9/2006 17:50	18.9	23.2	4.5	-5.1	92
BRIGEW66	11/9/2006 12:38	22.5	31.4	0.4	-6.9	103
BRIGEW67	11/9/2006 12:20	37.8	31.4	0.2	-7.5	123
BRIGEW68	11/9/2006 12:50	34.7	36	1	-5.5	108
BRIGEW69	11/9/2006 12:52	16.7	25.6	3.6	-16	104
BRIGEW70	11/9/2006 15:49	36	30.8	2.7	-21.7	110
BRIGEW71	11/9/2006 12:18	28.1	31.5	0	-9	122
BRIGEW72	11/9/2006 12:15	26	30.9	0.1	-3.5	91
BRIGEW73	11/9/2006 15:24	41.9	33.5	1.2	-13	114
BRIGEW74	11/9/2006 15:44	58.3	41.4	0.1	-24.2	100
BRIGEW75	11/9/2006 15:41	33.6	29.3	3.3	-11.5	114
BRIGEW76	11/9/2006 15:38	40.6	34.5	0.6	-3	106
BRIGEW77	11/9/2006 15:22	34.4	28.9	2.4	-15.4	120
BRIGEW78	11/9/2006 15:28	47.3	35.2	1.2	-23	118
BRIGEW79	11/9/2006 15:34	39.5	32.3	3.5	-14.9	110
BRIGEW80	11/9/2006 15:20	42.3	35	0.6	-8.4	100
BRIGEW81	11/9/2006 15:17	41.7	33.3	0.7	-4.5	120
BRIGEW82	11/9/2006 15:15	29.6	28.6	1.4	-3.1	112

Bridgeton Landfill Wellfield Data
December 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW01	12/19/2006 18:32	35.7	30	2.4	-1.2	88
BRIGEW02	12/19/2006 11:05	50.8	37.5	0	-4.1	133
BRIGEW03	12/19/2006 11:07	34.5	33.6	0	-1.2	113
BRIGEW04	12/19/2006 11:09	46.1	36.4	0	-0.8	112
BRIGEW05	12/19/2006 11:11	21.1	26.9	0	-1.2	98
BRIGEW06	12/19/2006 11:17	34.9	32.7	4.3	-0.5	76
BRIGEW08	12/19/2006 11:38	35.9	27.3	4.1	-6.5	127
BRIGEW09	12/19/2006 11:42	17.3	21	1.5	-8.9	122
BRIGEW10	12/19/2006 11:47	26.6	23.6	4.4	-24.9	120
BRIGEW11	12/19/2006 11:51	48.8	33.2	2.6	-9.4	136
BRIGEW12	12/19/2006 14:10	45.6	35.3	0	-2.6	124
BRIGEW13	12/19/2006 14:07	59.5	38.1	2.3	-1.6	130
BRIGEW14	12/19/2006 14:05	56.7	34.4	2.4	-3.5	112
BRIGEW15	12/19/2006 14:01	9	15.5	4.8	-2.4	100
BRIGEW18	12/19/2006 15:13	42.8	30.2	4.3	-38.1	121
BRIGEW19	12/19/2006 15:15	40.8	32.4	0	-2.9	80
BRIGEW20	12/19/2006 15:17	35.7	29.5	0	-5	96
BRIGEW21	12/19/2006 15:19	58.6	37.4	1.2	-3.1	112
BRIGEW22	12/19/2006 15:20	37.8	31.2	1.2	-7.7	114
BRIGEW23	12/19/2006 15:23	30.3	29.1	0	-5	108
BRIGEW24	12/19/2006 15:25	27.1	26.9	0.1	-5.2	80
BRIGEW25	12/19/2006 15:27	33.1	28.2	0	-6.7	93
BRIGEW26	12/19/2006 15:30	27	24.7	0.3	-22.3	96
BRIGEW27	12/19/2006 12:31	42.1	34.2	0.2	-7.1	96
BRIGEW28	12/19/2006 12:25	39.3	27.7	2.2	-32	126
BRIGEW29	12/19/2006 12:28	13.4	21.1	0	-6.7	129
BRIGEW30	12/19/2006 12:23	35.4	26.3	3.4	-19.7	130
BRIGEW31	12/19/2006 12:20	47.2	30	4.7	-26.6	125
BRIGEW32	12/19/2006 12:17	62.7	35.7	1.4	-10.9	118
BRIGEW33	12/19/2006 12:14	59.5	31.4	3.8	-41.9	100
BRIGEW35	12/19/2006 12:06	25.6	20.5	4.9	-17.7	116
BRIGEW35	12/19/2006 12:08	47	33.8	2.4	-8.3	110
BRIGEW36	12/19/2006 12:04	33.4	32.9	0.4	-5.2	90
BRIGEW37	12/19/2006 12:02	18.1	33.1	0.1	-2.7	50
BRIGEW38	12/19/2006 12:00	54.9	36.1	0	-4.3	112
BRIGEW39	12/19/2006 11:57	46.8	33.3	0.7	-2.5	111
BRIGEW40	12/19/2006 10:47	29.1	28.1	3.3	-9.8	80
BRIGEW41	12/19/2006 10:49	25.3	28.5	0.8	-4.3	82
BRIGEW42	12/19/2006 10:52	19	23.8	1.5	-4.1	74
BRIGEW43	12/19/2006 10:54	33.6	29.2	2.6	-3.9	122
BRIGEW44	12/19/2006 10:57	4.6	15.8	4.1	-2	90
BRIGEW45	12/19/2006 11:00	28.6	30.2	0.7	-7.9	90
BRIGEW46	12/19/2006 11:02	34.6	30.5	2.9	-5.8	115
BRIGEW47	12/19/2006 11:27	54.7	39.2	0.5	-6.2	91
BRIGEW48	12/19/2006 11:13	34.3	32.2	0.2	-2.2	109
BRIGEW49	12/19/2006 11:25	15.6	23.4	0	-2.1	91
BRIGEW50	12/19/2006 11:19	26.4	27.8	2.1	-2.7	110
BRIGEW51	12/19/2006 11:23	30.5	30	1	-5.1	110
BRIGEW52	12/19/2006 11:21	7.1	16.3	3	-1.6	99
BRIGEW56	12/19/2006 11:55	37.4	30.3	0.5	-9.1	129
BRIGEW57	12/19/2006 12:54	43.2	35.8	0.6	-5	100
BRIGEW60	12/19/2006 12:52	56.5	37.7	0.6	-5.7	100

Bridgeton Landfill Wellfield Data
December 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW61	12/19/2006 12:56	26.9	28.8	1	-4.5	65
BRIGEW62	12/19/2006 13:31	30.1	28.3	0.9	-5.6	86
BRIGEW63	12/19/2006 11:54	42.4	32.6	0	-8.9	130
BRIGEW64	12/19/2006 12:50	39.5	35.4	0.5	-8.9	90
BRIGEW67	12/19/2006 13:10	46.5	29.9	4.8	-14.4	96
BRIGEW67	12/19/2006 13:35	49.5	32.3	2.5	-6.5	123
BRIGEW68	12/19/2006 12:47	32	29.1	4.8	-84.2	100
BRIGEW70	12/19/2006 13:25	36.9	33	0.2	-10.6	110
BRIGEW72	12/19/2006 13:20	41.8	30	3.9	-40.4	118
BRIGEW72	12/19/2006 13:41	23.9	23.3	3.6	-6.4	108
BRIGEW73	12/19/2006 13:14	42	30	4.3	-21.5	104
BRIGEW74	12/19/2006 13:23	56.5	37.5	0.2	-36.5	112
BRIGEW75	12/19/2006 13:43	30.6	25.5	4.9	-4.1	117
BRIGEW77	12/19/2006 13:15	29.6	24.4	2.7	-22.5	121
BRIGEW77	12/19/2006 13:15	29.6	24.4	2.7	-22.5	121
BRIGEW80	12/19/2006 13:49	28	25.9	2.9	-12.6	102
BRIGEW80	12/19/2006 13:49	28	25.9	2.9	-12.6	102
BRIGEW01	12/19/2006 16:51	25.9	22.2	6.5	-2.2	110
BRIGEW82	12/19/2006 13:55	21.1	20	4.1	-4.9	86

Bridgeton Landfill Wellfield Data

July, 2006

Device ID	Date Time	CH4 (Methane) (%)	CO2 (Carbon Dioxide) (%)	O ₂ (Oxygen) (% by vol)	Initial Static Pressure (inches H ₂ O)	Initial Temperature (Deg F)
BRIGEW01	7/28/2006 14:02	32.4	29	4.3	-0.4	128
BRIGEW02	7/28/2006 9:20	48	37.7	0	-4.5	124
BRIGEW03	7/28/2006 9:18	31.1	32.8	0	-1.8	110
BRIGEW04	7/28/2006 9:15	45.6	36.4	0	-1.2	122
BRIGEW05	7/28/2006 9:11	25.4	30.3	0	-1.1	100
BRIGEW06	7/28/2006 16:09	42	35.1	2.6	-0.7	106
BRIGEW07	7/28/2006 8:45	43.8	36	0.1	-7.6	114
BRIGEW08	7/28/2006 8:43	36	29.3	3.1	-5.3	120
BRIGEW09	7/28/2006 16:05	13.8	16.8	4.8	-16.3	118
BRIGEW10	7/28/2006 8:32	56.2	36.9	0.1	-9.7	122
BRIGEW11	7/28/2006 8:29	40.2	33.1	0.2	-10.1	138
BRIGEW12	7/28/2006 12:29	39.1	34.2	0.2	-3.3	126
BRIGEW13	7/28/2006 12:27	59.6	39.6	0.6	-5	130
BRIGEW14	7/28/2006 12:25	47.4	37.5	0.3	-4.1	116
BRIGEW15	7/28/2006 12:23	25.6	26.1	2.7	-1.7	104
BRIGEW16	7/28/2006 12:18	50.1	36.1	0.6	-2	120
BRIGEW17	7/28/2006 12:15	50.3	34.7	1.2	-3	116
BRIGEW18	7/28/2006 12:12	46	31.5	4.9	-10.7	124
BRIGEW19	7/28/2006 12:05	48.3	27.9	2	-1.2	138
BRIGEW20	7/28/2006 11:58	50.4	37.2	0.6	-3.6	120
BRIGEW21	7/28/2006 11:56	48.5	37.7	0.2	-2.8	118
BRIGEW22	7/28/2006 11:53	47.6	37.6	0.4	-3	106
BRIGEW23	7/28/2006 11:51	8.1	4.9	15.2	-14.4	106
BRIGEW24	7/28/2006 11:48	34	32.5	0.3	-2.6	120
BRIGEW25	7/28/2006 11:45	31.4	31.6	0.8	-3.1	102
BRIGEW26	7/28/2006 11:43	46.3	35	1.2	-18.2	130
BRIGEW27	7/28/2006 11:40	29.9	20.5	8.3	-13.3	120
BRIGEW28	7/28/2006 11:36	59.9	39.6	0.4	-11.4	124
BRIGEW29	7/28/2006 11:33	56.3	42.1	0.2	-3	102
BRIGEW30	7/28/2006 11:30	57.1	38.6	0.5	-8.6	120
BRIGEW31	7/28/2006 11:27	56.3	42.2	1.4	-12.8	130
BRIGEW32	7/28/2006 11:23	59.3	39	1.6	-13.8	120
BRIGEW33	7/28/2006 11:17	59.8	39.5	0.6	-12	118
BRIGEW34	7/28/2006 11:15	51.5	37.5	0.2	-8.7	122
BRIGEW35	7/28/2006 11:13	56.7	40.1	0.2	-8	114
BRIGEW36	7/28/2006 11:10	48.9	39.6	0.2	-3.8	98
BRIGEW37	7/28/2006 11:08	35.1	33.9	0.5	-3.2	104
BRIGEW38	7/28/2006 11:05	50.5	36.9	1.4	-4.5	84
BRIGEW39	7/28/2006 8:22	46.7	37.9	0.2	-3	116
BRIGEW40	7/28/2006 9:55	32.8	29.5	3.4	-7	106
BRIGEW41	7/28/2006 9:51	43.6	36.6	0	-2.1	110
BRIGEW42	7/28/2006 9:49	27.4	29.1	0	-2	110
BRIGEW43	7/28/2006 9:36	41.2	34.7	0.1	-2.2	126
BRIGEW44	7/28/2006 9:34	17	23.7	0.1	-1.2	120
BRIGEW45	7/28/2006 9:26	37.8	33.2	0	-2.3	108
BRIGEW46	7/28/2006 9:23	46.6	37.8	0.1	-6.9	116
BRIGEW47	7/28/2006 9:13	57.3	41	0	-8.4	110
BRIGEW48	7/28/2006 9:08	46.3	38.6	0.1	-1.1	118
BRIGEW49	7/28/2006 9:29	25.6	30.3	0	-1.9	92
BRIGEW50	7/28/2006 8:55	46.3	37	0	-0.5	110

CONTROL DEVICE DOWNTIME TABLE

APPENDIX B

Control Device Downtime
Bridgeton Landfill, L.L.C.
Reporting Period 7/1/06-12/31/06

Initial Type of Event	Start Date/Time	Startup Date/Time	Duration (hrs:min)	Type of Event
Malfunction	7/19/06 7:30 PM	7/20/06 6:30 AM	11:00	Power Outage
Malfunction	7/22/06 4:30 PM	7/22/06 8:30 PM	4:00	Blower Malfunction
Malfunction	7/25/06 11:00 PM	7/26/06 5:45 AM	6:45	Blower Malfunction
Shutdown	8/22/06 1:36 PM	8/22/06 3:10 PM	1:34	Maintenance
Shutdown	10/5/06 7:40 AM	10/5/06 4:40 PM	9:00	Shutdown for connection of replacement wells

*Per NSPS periods in excess of one hour are only included above.

GAS EXTRACTION WELL CONSTRUCTION DRAWINGS AND WELL LOGS

APPENDIX C

AQUATERRA
ENVIRONMENTAL SOLUTIONS, INC.
141 Market Place Drive
Fairview Heights, Illinois 62208

GAS WELL CONSTRUCTION DIAGRAM

PROJECT NUMBER: 2048.10

GAS WELL NO.: 23A

INSTALLATION START DATE: 10-2-06

DRILLER: Mitch Wilkerson PDI

PROJECT NAME: GEW 23A & 27A CQA


25' NORTH OF GEW 23

MIDDLE OF SOUTHWEST SLOPE OF 200ft. TUM COVER

COMPLETION DATE: 10-2-06

INSPECTOR: JERRY L. MUELLER

COMMENTS: Soupy material past 102 foot depth.



AQUATERRA
ENVIRONMENTAL SOLUTIONS, INC.
141 Market Place Drive
Fairview Heights, Illinois 62208

GAS WELL CONSTRUCTION DIAGRAM

PROJECT NUMBER: 2048.10

GAS WELL NO.: 27A

INSTALLATION START DATE: 10-3-06

DRILLER: MATCH WILKINSON PDI

PROJECT NAME: GEW 23A & 27A (GDA


25' WEST OF GEW 27

WELL LOCATION: MIDDLE OF SOUTHEAST SLOPE OF DODGE FINE COAL

COMPLETION DATE: 10-3-06

INSPECTOR: TERRY L. MUELLER

COMMENTS: UNABLE TO PENETRATE PAST 107 FEET.



AQUATERRA
ENVIRONMENTAL SOLUTIONS, INC.
141 Market Place Drive
Fairview Heights, Illinois 62208

GAS WELL CONSTRUCTION DIAGRAM

PROJECT NUMBER: 2048.10

GAS WELL NO.: 65 A

INSTALLATION START DATE: 10-4-06

DRILLER: Mitch Wilkinson PDI


PROJECT NAME: GEW 23A & 27A CQA

WELL LOCATION: TOP OF 2006 FINAL CONSL - 35' NORTHEAST OF WELL 65

COMPLETION DATE: 10-5-06

INSPECTOR: Terry L. Mueller (TERRY L. MUELLER)

COMMENTS:



Aquaterra Drilling Log

HOLE NO. **GEW-23A** SHEET 1 OF **2** SHEETS

PROJECT NAME GEW 23A & 27A CQA		DRILLING SUBCONTRACTOR PDI				
PROJECT NUMBER 2048.10	NAME OF DRILLER(S) MITCH WILKINSON					
LOCATION BRIDGETON, Missouri	MANUFACTURER'S DESIGNATION OF DRILL WESTERN BORE 700 CRAWLER DRILL					
HOLE LOCATION 25' NORTH of GEW 23 Middle of Southwest Slope of 2006 Final Contour	SIZES AND TYPES OF DRILLING AND SAMPLING EQUIPMENT 24" BUCKET 20 FEETES FROM LANDMARK 3.5" DIAMETER HOLE					
SURFACE ELEVATION 505 ±	DRILLING START DATE 10-2-06 DRILLING END DATE 10-2-06					
OVERBURDEN THICKNESS 7' ±	DEPTH GROUNDWATER ENCOUNTERED No					
DEPTH DRILLED INTO ROCK No	DEPTH TO WATER AND ELAPSED TIME AFTER DRILLING COMPLETED No					
TOTAL DEPTH OF HOLE 103'	GEOTECHNICAL SAMPLES (TOTAL)					
DISTURBED —		UNDISTURBED —	TOTAL NUMBER OF CORE BOXES —			
SAMPLES FOR CHEMICAL ANALYSIS (TOTAL) —	(SPECIFY) —	(SPECIFY) —	(SPECIFY) —	(SPECIFY) —	(SPECIFY) —	TOTAL CORE RECOVERY —
DISPOSITION OF HOLE FILLED	BACKFILLED GRAVEL, BENTONITE, SOIL	MONITORING WELL —	OTHER (SPECIFY) GAS WELL	SIGNATURE OF INSPECTOR <i>J. M. Muller Terry L. Muller</i>		
DEPTH 0	DESCRIPTION OF MATERIALS 0+00	FIELD SCREENING RESULTS 0+02	GEOTECH SAMPLE RESULTS Soil 6" PVC	ANALYTICAL SAMPLE NO. —	TIME 0900	REMARKS
	CL 0+07	0+05	— SOIL BENTONITE	— — —	— 0910	
10		0+17	— SOIL	— —		
20	WASTE	0+20	— BENTONITE	— —		
30		0+21	— SOIL	— —		
40			0+22	— —		
50	WASTE				1000	
60					— 1100	
		WASTE TEMPERATURE 75°-80°F				
AQUATERRA ENVIRONMENTAL SOLUTIONS, INC.		PROJECT NAME GEW 23A & 27A CQA		HOLE NO. GEW 23A		

Aquaterra Drilling Log

HOLE NO. GEW-23A SHEET 2 OF 2 SHEETS

PROJECT NAME		INSPECTOR				
GEW 23A & 27A CQA		Jeff Muller (Terry L. Muller)				
DEPTH	DESCRIPTION OF MATERIALS	FIELD SCREENING RESULTS	GEOTECH SAMPLE RESULTS	ANALYTICAL SAMPLE NO.	TIME	REMARKS
60	WASTE 0+64				1200	
70	WASTE					
76	0+76				1300	
80	WASTE					
88	0+88				1400	WASTE TEMPERATURE 95°-100°F
90	WASTE					
100	1+00					
103	1+03 WASTE Bottom			H02	1500	
105	WASTE				1515	↑ 0+92 DAMP ↓ ↑ 0+98 WET ↓ ↑ 1+03 SATURATED COULD NOT REMOVE ANY MORE AS IT WAS TOO SOUPY.
110	WASTE					
						No ASBESTOS MATERIALS OBSERVED Jeff Muller

Aquaterra Drilling Log

HOLE NO. **GEW-27A** SHEET 1 OF SHEETS **2**

PROJECT NAME GEW 23A & 27A CQA		DRILLING SUBCONTRACTOR PDI				
PROJECT NUMBER 2048.10		NAME OF DRILLER(S) MITCH WILKINSON				
LOCATION BROOKTON, MISSOURI		MANUFACTURER'S DESIGNATION OF DRILL WESTERN RORE 200 CENTER DRILL				
HOLE LOCATION 25' WEST of GEW 27 MIDDLE OR SOUTHEAST SIDE OF 300'x300' Final Cover		SIZES AND TYPES OF DRILLING AND SAMPLING EQUIPMENT 24" BUCKET 35" DIAMETER HOLE 2 OPERATORS FROM LANDMARK				
SURFACE ELEVATION 525 ±						
OVERBURDEN THICKNESS 4'		DRILLING START DATE 10-3-06 DRILLING END DATE 10-3-06				
DEPTH DRILLED INTO ROCK NA		DEPTH GROUNDWATER ENCOUNTERED NA				
TOTAL DEPTH OF HOLE 107'		DEPTH TO WATER AND ELAPSED TIME AFTER DRILLING COMPLETED NA				
GEOTECHNICAL SAMPLES (TOTAL)	DISTURBED	UNDISTURBED	TOTAL NUMBER OF CORE BOXES			
SAMPLES FOR CHEMICAL ANALYSIS (TOTAL)	(SPECIFY)	(SPECIFY)	(SPECIFY)	(SPECIFY)	(SPECIFY)	TOTAL CORE RECOVERY
DISPOSITION OF HOLE	BACKFILLED	MONITORING WELL	OTHER (SPECIFY)	SIGNATURE OF INSPECTOR <i>J. Mullen</i> TERRY L. MULLEN		
DEPTH	DESCRIPTION OF MATERIALS	FIELD SCREENING RESULTS	GEOTECH SAMPLE RESULTS	ANALYTICAL SAMPLE NO.	TIME	REMARKS
0	0+00 CL 0+04	0102		—	0800	
10		0105		—		
20				Soil		
30	WASTE			BENTONITE		
40		0+21	Soil			
50		0+24 0+25 0+26	6" SOLID PC	Soil		
60				BENTONITE		
70				Soil		
80	0+36				0900	
90						↑ DRY ↓
100						
110						
120						
130						
140						
150						
160						
170						
180						
190						
200						
210						
220						
230						
240						
250						
260						
270						
280						
290						
300						
310						
320						
330						
340						
350						
360						
370						
380						
390						
400						
410						
420						
430						
440						
450						
460						
470						
480						
490						
500						
510						
520						
530						
540						
550						
560						
570						
580						
590						
600						
610						
620						
630						
640						
650						
660						
670						
680						
690						
700						
710						
720						
730						
740						
750						
760						
770						
780						
790						
800						
810						
820						
830						
840						
850						
860						
870						
880						
890						
900						
910						
920						
930						
940						
950						
960						
970						
980						
990						
1000						
1010						
1020						
1030						
1040						
1050						
1060						
1070						
1080						
1090						
1100						
1110						
1120						
1130						
1140						
1150						
1160						
1170						
1180						
1190						
1200						
1210						
1220						
1230						
1240						
1250						
1260						
1270						
1280						
1290						
1300						
1310						
1320						
1330						
1340						
1350						
1360						
1370						
1380						
1390						
1400						
1410						
1420						
1430						
1440						
1450						
1460						
1470						
1480						
1490						
1500						
1510						
1520						
1530						
1540						
1550						
1560						
1570						
1580						
1590						
1600						
1610						
1620						
1630						
1640						
1650						
1660						
1670						
1680						
1690						
1700						
1710						
1720						
1730						
1740						
1750						
1760						
1770						
1780						
1790						
1800						
1810						
1820						
1830						
1840						
1850						
1860						
1870						
1880						
1890						
1900						
1910						
1920						
1930						
1940						
1950						
1960						
1970						
1980						
1990						
2000						
2010						
2020						
2030						
2040						
2050						
2060						
2070						
2080						
2090						
2100						
2110						
2120						
2130						
2140						
2150						
2160						
2170						
2180						
2190						
2200						
2210						
2220						
2230						
2240						
2250						
2260						
2270						
2280						
2290						
2300						
2310						
2320						
2330						
2340						
2350						
2360						
2370						
2380						
2390						
2400						
2410						
2420						
2430						
2440						
2450						
2460						
2470						
2480						
2490						
2500						
2510						
2520						
2530						
2540						
2550						
2560						
2570						
2580						
2590						
2600						
2610						
2620						
2630						
2640						
2650						
2660						
2670						
2680						
2690						
2700						
2710						
2720						
2730						
2740						
2750						
2760				</td		

Aquaterra Drilling Log

HOLE NO.
GEW 27ASHEET 2 OF 2
SHEETS

PROJECT NAME	INSPECTOR					
GEW 23A & 27A (QA)	D. Mueller (Terry L. Mueller)					
DEPTH	DESCRIPTION OF MATERIALS	FIELD SCREENING RESULTS	GEOTECH SAMPLE RESULTS	ANALYTICAL SAMPLE NO.	TIME	REMARKS
60	WASTE 0+67				-1100	
70	WASTE					
80	WASTE 0+80				-1200	
90	WASTE 0+90		GRANULAR 6' PERFORATED PVC	GRANULES	-1300	
100	WASTE 0+99				-1400	
107	WASTE 1+07	1+06 -	UNABLE TO PENETRATE POST 107'		-1500	
110	WASTE					
120						
130						

↑ DRY
↓

WASTE TEMPERATURE
95°-100°F
1400 —

↑
MOIST
↓

NO ASBESTOS MATERIALS
OBSERVED
Terry Mueller

AQUATERRA
ENVIRONMENTAL SOLUTIONS, INC.

PROJECT NAME

GEW 23A & 27A (QA)

HOLE NO.

GEW-27A

Aquaterra Drilling Log

HOLE NO. **GEW 65A** SHEET 1 OF 2 SHEETS

PROJECT NAME GEW 23A & 27A CQA		DRILLING SUBCONTRACTOR PDI					
PROJECT NUMBER 2048.10		NAME OF DRILLER(S) MITCH WILKINSON					
LOCATION Bridgeton, Missouri		MANUFACTURER'S DESIGNATION OF DRILL WESTERN Bore 200 Crawler Drill					
HOLE LOCATION 35' Northeast of Gew 65 on top of 2006 fence, Coven Hwy		SIZES AND TYPES OF DRILLING AND SAMPLING EQUIPMENT 24" BUCKET 35" DIAMETER HOLE 2 CORETTERS FROM HARDWARE					
SURFACE ELEVATION 572±		DRILLING START DATE 10-4-06					
OVERBURDEN THICKNESS 5'±		DRILLING END DATE 10-5-06					
DEPTH DRILLED INTO ROCK NO		DEPTH GROUNDWATER ENCOUNTERED NO					
TOTAL DEPTH OF HOLE 135		DEPTH TO WATER AND ELAPSED TIME AFTER DRILLING COMPLETED NO					
GEOTECHNICAL SAMPLES (TOTAL)		DISTURBED	UNDISTURBED	TOTAL NUMBER OF CORE BOXES			
SAMPLES FOR CHEMICAL ANALYSIS (TOTAL)		(SPECIFY)	(SPECIFY)	(SPECIFY)	(SPECIFY)	(SPECIFY)	TOTAL CORE RECOVERY
DISPOSITION OF HOLE		BACKFILLED	MONITORING WELL	OTHER (SPECIFY)	SIGNATURE OF INSPECTOR		
FILLED		Soil, Gravel BENTONITE	-	Gas Well	Terry L. Mueller		
DEPTH	DESCRIPTION OF MATERIALS	FIELD SCREENING RESULTS	GEOTECH SAMPLE RESULTS	ANALYTICAL SAMPLE NO.	TIME	REMARKS	
0	0+00 CH 0+05	0+02 0+05	Soil	SOIL	1100		
10							
20	WASTE						
30	0+32	0+29 0+32 0+33 0+34	Soil	SOIL PVC	1200		
40	WASTE						
50	0+47		PERFORATED PVC	Gravel	1300	WASTE TEMPERATURE 75°-80°F	
60	WASTE				-1400		
PROJECT NAME GEW 23A & 27A CQA				HOLE NO.	GEW 65A		

Aquaterra Drilling Log

HOLE NO.
GEW-65A

SHEET 2 OF 2
SHEETS

PROJECT NAME	INSPECTOR	GEW 23A & 27A CQA				
DEPTH	DESCRIPTION OF MATERIALS	FIELD SCREENING RESULTS	GEOTECH SAMPLE RESULTS	ANALYTICAL SAMPLE NO.	TIME	REMARKS
60						
65	WASTE					
70	0+74				- 1500	
75	WASTE					
80	0+87				- 1600	
85	WASTE				- 1700	
90	0+95					
95	WASTE					
100	1+02					
105	WASTE					
110	1+11				- 0800	
115	WASTE					
120	H2O				- 0900	
125	WASTE				- 1000	
130	1+23				- 1100	
135	WASTE				- 1200	
140	H2O				- 1300	
145	WASTE					
150	1+30					
155	WASTE					
160	1+35					
165						
170						
175						
180						
185						
190						
195						
200						
205						
210						
215						
220						
225						
230						
235						
240						
245						
250						
255						
260						
265						
270						
275						
280						
285						
290						
295						
300						
305						
310						
315						
320						
325						
330						
335						
340						
345						
350						
355						
360						
365						
370						
375						
380						
385						
390						
395						
400						
405						
410						
415						
420						
425						
430						
435						
440						
445						
450						
455						
460						
465						
470						
475						
480						
485						
490						
495						
500						
505						
510						
515						
520						
525						
530						
535						
540						
545						
550						
555						
560						
565						
570						
575						
580						
585						
590						
595						
600						
605						
610						
615						
620						
625						
630						
635						
640						
645						
650						
655						
660						
665						
670						
675						
680						
685						
690						
695						
700						
705						
710						
715						
720						
725						
730						
735						
740						
745						
750						
755						
760						
765						
770						
775						
780						
785						
790						
795						
800						
805						
810						
815						
820						
825						
830						
835						
840						
845						
850						
855						
860						
865						
870						
875						
880						
885						
890						
895						
900						
905						
910						
915						
920						
925						
930						
935						
940						
945						
950						
955						
960						
965						
970						
975						
980						
985						
990						
995						
1000						
1005						
1010						
1015						
1020						
1025						
1030						
1035						
1040						
1045						
1050						
1055						
1060						
1065						
1070						
1075						
1080						
1085						
1090						
1095						
1100						
1105						
1110						
1115						
1120						
1125						
1130						
1135						
1140						
1145						
1150						
1155						
1160						
1165						
1170						
1175						
1180						
1185						
1190						
1195						
1200						
1205						
1210						
1215						
1220						
1225						
1230						
1235						
1240						
1245						
1250						
1255						
1260						
1265						
1270						
1275						
1280						
1285						
1290						
1295						
1300						
1305						
1310						
1315						
1320						
1325						
1330						
1335						
1340						
1345						
1350						
1355						
1360						
1365						
1370						
1375						
1380						
1385						
1390						
1395						
1400						
1405						
1410						
1415						
1420						
1425						
1430						
1435						
1440						
1445						
1450						
1455						
1460						
1465						
1470						
1475						
1480						
1485						
1490						
1495						
1500						
1505						
1510						
1515						
1520						
1525						
1530						
1535						
1540						
1545						
1550						
1555						
1560						
1565						
1570						
1575						
1580						
1585						
1590						
1595						
1600						
1605						
1610						
1615						
1620						
1625						
1630						
1635						
1640						
1645						
1650						
1655						
1660						
1665						
1670						
1675					</	